

Regression report

Date: *2023-10-05 Time: 09-42-31*

Summary report

Module	Total testcases	Passed	Failed
vlan	20	20	0

Testcase Complete Summary: Total: 20, Passed: 20, Failed: 0

Detailed report of *vlan*

Testcase summary: Total: 20, Passed: 20, Failed: 0

Testcase name	Status	User Input	Commands	
test_case_01.1	Passed	<pre>Input: [{ "description": "vlan500 description", "vlan_id": 500 }, { "description": "vlan501 description", "vlan_id": 501 }]</pre>	<pre>Commands: [{ "description": "vlan500 description", "state": "merged", "vlan_id": 500 }, { "description": "vlan501 description", "state": "merged", "vlan_id": 501 }]</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, }]</pre>
test_case_01.2	Passed	<pre>Input: [{ "description": "vlan500 description", "vlan_id": 500 }, { "description": "vlan501 description", "vlan_id": 501 }]</pre>	<pre>Commands: []</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, }]</pre>

Testcase name	Status	User Input	Commands	
				<pre>{ "de "vl }, { "de "vl } }</pre>
test_case_02.1	Passed	<pre>Input: [{ "description": "modified vlan500 description", "vlan_id": 500 }, { "vlan_id": 502 }, { "vlan_id": 503 }]</pre>	<pre>Commands: [{ "description": "modified vlan500 description", "state": "merged", "vlan_id": 500 }, { "state": "merged", "vlan_id": 502 }, { "state": "merged", "vlan_id": 503 }]</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }]</pre>
test_case_02.2	Passed	<pre>Input: [{ "description": "modified vlan500 description", "vlan_id": 500 }, { "vlan_id": 502 }, { "vlan_id": 503 }]</pre>	<pre>Commands: []</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }]</pre>

Testcase name	Status	User Input	Commands	
				<pre>"de "vl }]</pre>
test_case_03.1	Passed	<pre>Input: [{ "description": "modified vlan500 description", "vlan_id": 500 }, { "vlan_id": 501 }]</pre>	<pre>Commands: [{ "description": "modified vlan500 description", "state": "deleted", "vlan_id": 500 }, { "state": "deleted", "vlan_id": 501 }]</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }]</pre>
test_case_03.2	Passed	<pre>Input: [{ "description": "modified vlan500 description", "vlan_id": 500 }, { "vlan_id": 501 }]</pre>	<pre>Commands: []</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }]</pre>
test_case_04.1	Passed	<pre>Input: [{ "vlan_id": 500 },]</pre>	<pre>Commands: [{ "description": "modified vlan502 description", "state": "replaced", </pre>	<pre>Before: [{ "de "vl </pre>

Testcase name	Status	User Input	Commands	
		<pre> { "description": "modified vlan502 description", "vlan_id": 502 }] </pre>	<pre> "vlan_id": 502 }] </pre>	<pre> }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }] </pre>
test_case_04.2	Passed	<pre> Input: [{ "vlan_id": 500 }, { "description": "modified vlan502 description", "vlan_id": 502 }] </pre>	Commands: []	<pre> Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }] </pre>
test_case_05.1	Passed	<pre> Input: [{ "vlan_id": 501 }, { "description": "overridden vlan502 description", "vlan_id": 502 }, { "vlan_id": 504 }] </pre>	<pre> Commands: [{ "state": "deleted", "vlan_id": 1 }, { "state": "deleted", "vlan_id": 2 }, { "state": "deleted", "vlan_id": 3 }, { "state": "deleted", "vlan_id": 102 },] </pre>	<pre> Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl },] </pre>

Testcase name	Status	User Input	Commands	
			<pre>{ "state": "deleted", "vlan_id": 105 }, { "state": "deleted", "vlan_id": 106 }, { "state": "deleted", "vlan_id": 500 }, { "state": "deleted", "vlan_id": 503 }, { "state": "overridden", "vlan_id": 501 }, { "description": "overridden vlan502 description", "state": "overridden", "vlan_id": 502 }, { "state": "overridden", "vlan_id": 504 } }</pre>	<pre>{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl } }</pre>
test_case_05.2	Passed	<pre>Input: [{ "vlan_id": 501 }, { "description": "overridden vlan502 description", "vlan_id": 502 }, { "vlan_id": 504 }]</pre>	<pre>Commands: []</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }]</pre>
test_case_06.1	Passed	<pre>Input: [{ "vlan_id": 505 }, { "description": "overridden vlan506 description", "vlan_id": 506 }]</pre>	<pre>Commands: [{ "state": "deleted", "vlan_id": 501 }, { "description": "overridden vlan502 description", "state": "deleted", "vlan_id": 502 }, { "state": "deleted", "vlan_id": 504 }, { "state": "overridden", "vlan_id": 505 }, { "description": "overridden vlan506 description", "state": "overridden", "vlan_id": 506 }]</pre>	<pre>Before: [{ "de "vl }, { "de "vl }, { "de "vl }]</pre>
test_case_06.2	Passed	<pre>Input: [{ "vlan_id": 505 }, { "description": "overridden vlan506 description", "vlan_id": 506 }]</pre>	<pre>Commands: []</pre>	<pre>Before: [{ "de "vl }, { "de "vl }]</pre>
test_case_07.1	Passed	<pre>Input: [{ "description": "new vlan510 description", "vlan_id": 510 }, { "description": "new vlan511 description", "vlan_id": 511 }]</pre>	<pre>Commands: [{ "description": "new vlan510 description", "state": "merged", "vlan_id": 510 }, { "description": "new vlan511 description",</pre>	<pre>Before: [{ "de "vl }, { "de "vl }]</pre>

Testcase name	Status	User Input	Commands	
		<pre> }, { "description": "new vlan512 description", "vlan_id": 512 }] </pre>	<pre> "state": "merged", "vlan_id": 511 }, { "description": "new vlan512 description", "state": "merged", "vlan_id": 512 }] </pre>	<pre> }] </pre>
test_case_07.2	Passed	<pre> Input: [{ "description": "new vlan510 description", "vlan_id": 510 }, { "description": "new vlan511 description", "vlan_id": 511 }, { "description": "new vlan512 description", "vlan_id": 512 }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }] </pre>
test_case_08.1	Passed	<pre> Input: [{ "vlan_id": 510 }] </pre>	<pre> Commands: [{ "description": "new vlan510 description", "state": "deleted", "vlan_id": 510 }] </pre>	<pre> Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }] </pre>
test_case_08.2	Passed	<pre> Input: [{ "vlan_id": 510 }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "de "vl }, { "de "vl }, { "de "vl }, { "de "vl }] </pre>
test_case_09.1	Passed	<pre> Input: [{ "vlan_id": 511 }] </pre>	<pre> Commands: [{ "state": "deleted", "vlan_id": 505 }, { </pre>	<pre> Before: [{ "de "vl }, { </pre>

Testcase name	Status	User Input	Commands	
test_case_09.2	Passed	Input: [<pre data-bbox="358 506 553 604"> { "vlan_id": 511 }]</pre>	Commands: []	Before: [<pre data-bbox="1458 506 1544 625"> { "de "vl }]</pre>
test_case_10.1	Passed	Input: []	Commands: [<pre data-bbox="911 663 1149 783"> { "state": "deleted", "vlan_id": 511 }]</pre>	Before: [<pre data-bbox="1458 663 1544 783"> { "de "vl }]</pre>
test_case_10.2	Passed	Input: []	Commands: []	Before: [

Testcase Complete Summary: Total: 20, Passed: 20, Failed: 0