

Regression report

Date: 2023-11-28 Time: 14-21-56

Summary report

Module	Total testcases	Passed	Failed
acl_interfaces	16	16	0

Testcase Complete Summary: Total: 16, Passed: 16, Failed: 0

Detailed report of *acl_interfaces*

Testcase summary: Total: 16, Passed: 16, Failed: 0

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_01.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }] </pre>	<pre> Commands: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20", "state": "merged" }] </pre>	<pre> Before: [] </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }] </pre>	Error: "No Error"
test_case_01.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }] </pre>	<pre> After: "Not defined" </pre>	Error: "No Error"
test_case_02.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }], "name": "Ethernet24" }] </pre>	<pre> Commands: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "name": "Ethernet20", "state": "merged" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24", "state": "merged" }], "name": "Ethernet24", "state": "merged" }] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }] </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet24" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
					<pre> "name": "ipv6-acl-2" },], "type": "ipv6" }, { "name": "Ethernet24" }] </pre>	
test_case_02.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }] </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>
test_case_03.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan 100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel 100" }] </pre>	<pre> Commands: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan100", "state": "merged" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel100", "state": "merged" }] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }] </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }], { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }] </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
					<pre> "type": "ipv6" }, "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan100" }] } </pre>	
test_case_03.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan 100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Portchannel 100" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "name": "Ethernet20" }], "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan100" }] </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>
test_case_04.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet20" }] </pre>	<pre> Commands: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet20" }] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet20" }] </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }], "name": "Ethernet20" }] </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "name": "Ethernet24" }] </pre>	<pre> { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "name": "Ethernet20", "state": "deleted" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24", "state": "deleted" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }], "name": "Ethernet20", "state": "replaced" }] </pre>	<pre> { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Vlan100" }] </pre>	<pre> "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Vlan100" }] </pre>	
test_case_04.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }], "name": "Ethernet20" }, { "name": "Ethernet24" }] </pre>	Commands: []	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Vlan100" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> } }, "type": "mac" }, { "name": "Vlan100" }] } } </pre>		
test_case_05.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan 100" }] </pre>	<pre> Commands: [{ "name": "PortChannel100", "state": "deleted" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan100", "state": "deleted" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet20", "state": "overridden" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100", "state": "overridden" }] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "ipv6" }, { "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan100" }, { "acls": [{ "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Vlan100" }] </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100" }] </pre>	Error: "No Error"
test_case_05.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan 100" }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100" }] </pre>	<pre> After: "Not defined" </pre>	Error: "No Error"
test_case_06.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", </pre>	<pre> Commands: [{ "access_groups": [{ "acls": [{ "direction": "in", </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "out", </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "out", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }, { "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" },], "name": "Ethernet24" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Portchannel 100" }] </pre>	<pre> "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }, { "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" },], "name": "Ethernet24", "state": "merged" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "PortChannel100", "state": "merged" }] </pre>	<pre> "name": "mac-acl-2" }, { "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" },], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100" }] </pre>	<pre> "name": "mac-acl-2" }, { "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" },], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Ethernet24" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100" }] </pre>	
test_case_06.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }] }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" },] </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> }, { "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "name": "Ethernet24" }], { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "name": "Portchannel 100" }] }] } </pre>		<pre> { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "name": "Ethernet24" }], { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "name": "PortChannel100" }], { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100" }] }] </pre>		
test_case_07.1	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }, { "name": "Ethernet20" }], { "access_groups": [{ "type": "ipv4" }, { "type": "ipv6" }], "name": "Ethernet24" }, { "name": "Vlan 100" }], { "access_groups": [{ "type": "mac" }], "name": "Portchannel 100" }] </pre>	<pre> Commands: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }, { "name": "Ethernet20", "state": "deleted" }], { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24", "state": "deleted" }], { "name": "Vlan100" }] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }, { "name": "Ethernet20" }], { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet24" }], { "name": "Vlan100" }] </pre>	<pre> After: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }, { "name": "Ethernet20" }], { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet24" }], { "name": "Vlan100" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
			<pre> "name": "Vlan100", "state": "deleted" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "PortChannel100", "state": "deleted" } } </pre>	<pre> { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }, { "acls": [{ "direction": "in", "name": "ipv6-acl-1" }, { "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet24" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "PortChannel100" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv4-acl-1" }, { "direction": "out", "name": "ipv4-acl-2" }], "type": "ipv4" }], "name": "Vlan100" }] } </pre>		
test_case_07.2	Passed	<pre> Input: [{ "access_groups": [{ "acls": [{ "direction": "in", "name": "ipv6-acl-1" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "type": "ipv4" }, { "type": "ipv6" }], "name": "Ethernet24" }, { "name": "Vlan 100" }, { "access_groups": [{ "type": "mac" }], "name": "Portchannel 100" }] } </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [{ "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }], "name": "Ethernet24" }] } </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>
test_case_08.1	Passed	<pre> Input: [] </pre>	<pre> Commands: [{ "name": "Ethernet20", "state": "deleted" }, { "name": "Ethernet24", "state": "deleted" }] </pre>	<pre> Before: [{ "access_groups": [{ "acls": [{ "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, { "acls": [{ "direction": "out", "name": "ipv6-acl-2" }], "type": "ipv6" }], "name": "Ethernet20" }, { "access_groups": [</pre>	<pre> After: [] </pre>	<pre> Error: "No Error" </pre>

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "acls": [{ "direction": "in", "name": "mac-acl-1" }, { "direction": "out", "name": "mac-acl-2" }], "type": "mac" }, "name": "Ethernet24"] </pre>		
test_case_08.2	Passed	Input: []	Commands: []	Before: []	After: "Not defined"	Error: "No Error"

Testcase Complete Summary: Total: 16, Passed: 16, Failed: 0