



|  |  |
|--|--|
| <b>System</b>                                  | Linux buycloud 3.16.0-4-amd64 #1 SMP Debian 3.16.39-1+deb8u1 (2017-02-22) x86_64   |
| <b>Server API</b>                              | Apache 2.0 Handler   |
| <b>Virtual Directory Support</b>               | disabled   |
| <b>Configuration File (php.ini) Path</b>       | /etc/php/7.0/apache2   |
| <b>Loaded Configuration File</b>               | /etc/php/7.0/apache2/php.ini   |
| <b>Scan this dir for additional .ini files</b> | /etc/php/7.0/apache2/conf.d  |
| <b>Additional .ini files parsed</b>            | /etc/php/7.0/apache2/conf.d/10-mysqlnd.ini, /etc/php/7.0/apache2/conf.d/10-opcache.ini, /etc/php/7.0/apache2/conf.d/10-pdo.ini, /etc/php/7.0/apache2/conf.d/15-xml.ini, /etc/php/7.0/apache2/conf.d/20-calendar.ini, /etc/php/7.0/apache2/conf.d/20-ctype.ini, /etc/php/7.0/apache2/conf.d/20-curl.ini, /etc/php/7.0/apache2/conf.d/20-dom.ini, /etc/php/7.0/apache2/conf.d/20-exif.ini, /etc/php/7.0/apache2/conf.d/20-fileinfo.ini, /etc/php/7.0/apache2/conf.d/20-ftp.ini, /etc/php/7.0/apache2/conf.d/20-gd.ini, /etc/php/7.0/apache2/conf.d/20-gettext.ini, /etc/php/7.0/apache2/conf.d/20-iconv.ini, /etc/php/7.0/apache2/conf.d/20-imagick.ini, /etc/php/7.0/apache2/conf.d/20-intl.ini, /etc/php/7.0/apache2/conf.d/20-json.ini, /etc/php/7.0/apache2/conf.d/20-ldap.ini, /etc/php/7.0/apache2/conf.d/20-mbstring.ini, /etc/php/7.0/apache2/conf.d/20-mcrypt.ini, /etc/php/7.0/apache2/conf.d/20-mysqli.ini, /etc/php/7.0/apache2/conf.d/20-pdo_mysql.ini, /etc/php/7.0/apache2/conf.d/20-phar.ini, /etc/php/7.0/apache2/conf.d/20-posix.ini, /etc/php/7.0/apache2/conf.d/20-readline.ini, /etc/php/7.0/apache2/conf.d/20-shmop.ini, /etc/php/7.0/apache2/conf.d/20-simplexml.ini, /etc/php/7.0/apache2/conf.d/20-sockets.ini, /etc/php/7.0/apache2/conf.d/20-sysvmsg.ini, /etc/php/7.0/apache2/conf.d/20-sysvsem.ini, /etc/php/7.0/apache2/conf.d/20-sysvshm.ini, /etc/php/7.0/apache2/conf.d/20-tokenizer.ini, /etc/php/7.0/apache2/conf.d/20-wddx.ini, /etc/php/7.0/apache2/conf.d/20-xmlreader.ini, /etc/php/7.0/apache2/conf.d/20-xmlwriter.ini, /etc/php/7.0/apache2/conf.d/20-xsl.ini, /etc/php/7.0/apache2/conf.d/20-zip.ini |
| <b>PHP API</b>                                 | 20151012   |
| <b>PHP Extension</b>                           | 20151012   |
| <b>Zend Extension</b>                          | 320151012  |
| <b>Zend Extension Build</b>                    | API320151012.NTS   |
| <b>PHP Extension Build</b>                     | API20151012.NTS  |
| <b>Debug Build</b>                             | no   |
| <b>Thread Safety</b>                           | disabled   |
| <b>Zend Signal Handling</b>                    | disabled   |
| <b>Zend Memory Manager</b>                     | enabled  |
| <b>Zend Multibyte Support</b>                  | provided by mbstring   |
| <b>IPv6 Support</b>                            | enabled  |
| <b>DTrace Support</b>                          | available, disabled  |
| <b>Registered PHP Streams</b>                  | https, ftps, compress.zlib, php, file, glob, data, http, ftp, smb, phar, zip   |
| <b>Registered Stream Socket Transports</b>     | tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2   |
| <b>Registered Stream Filters</b>               | zlib.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, convert.iconv.*, mcrypt.*, mdecrypt.*   |

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v3.0.0, Copyright (c) 1998-2017 Zend Technologies  
 with Zend OPcache v7.0.16-1~dotdeb+8.1, Copyright (c) 1999-2017, by Zend Technologies



## Configuration apache2handler

|                             |  |
|-----------------------------|--|
| <b>Apache Version</b>       | Apache/2.4.10 (Debian)   |
| <b>Apache API Version</b>   | 20120211   |
| <b>Server Administrator</b> | webmaster@localhost  |
| <b>Hostname:Port</b>        | 10.203.21.80:0   |
| <b>User/Group</b>           | www-data(33)/33  |
| <b>Max Requests</b>         | Per Child: 0 - Keep Alive: on - Max Per Connection: 100  |
| <b>Timeouts</b>             | Connection: 300 - Keep-Alive: 5  |
| <b>Virtual Server</b>       | Yes  |
| <b>Server Root</b>          | /etc/apache2   |
| <b>Loaded Modules</b>       | core mod_so mod_watchdog http_core mod_log_config mod_logio mod_version mod_unixd mod_access_compat mod_alias mod_auth_basic mod_auth_core mod_authn_file mod_authz_core mod_authz_host mod_authz_user |

mod\_autoindex mod\_deflate mod\_dir mod\_env mod\_filter mod\_headers mod\_mime prefork mod\_negotiation  
 mod\_php7 mod\_proxy mod\_proxy\_fcgi mod\_reqtimeout mod\_rewrite mod\_setenvif mod\_socache\_shmcb mod\_ssl  
 mod\_status

| Directive     | Local Value | Master Value |
|---------------|-------------|--------------|
| engine        | 1           | 1            |
| last_modified | 0           | 0            |
| xbithack      | 0           | 0            |

## Apache Environment

| Variable                       | Value  |
|--------------------------------|--|
| HTTP_AUTHORIZATION             | <i>no value</i>  |
| HOME                           | /var/www/nextcloud   |
| HTTP_HOME                      | /var/www/nextcloud   |
| modHeadersAvailable            | true   |
| htaccessWorking                | true   |
| HTTP_USER_AGENT                | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/64.0.3282.140 Safari/537.36 Edge/17.17134  |
| HTTP_ACCEPT                    | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8  |
| HTTP_UPGRADE_INSECURE_REQUESTS | 1  |
| HTTP_ACCEPT_ENCODING           | gzip, deflate  |
| HTTP_HOST                      | 10.203.21.80   |
| HTTP_CONNECTION                | Keep-Alive   |
| HTTP_COOKIE                    | nc_username=admin; nc_sameSiteCookiestrict=true; nc_token=D8vyp7Z7ywd5nN1Uh9Fuem7xjz86aXh; nc_session_id=5u5ub01qn24n518u4b6c14lu15; nc_sameSiteCookielax=true; ocnugkha34d7=5u5ub01qn24n518u4b6c14lu15; oc_sessionPassphrase=SOkuVlx4NKZpa9E67jV8GoKHvR0vDgPXAjqkRjS%2FIK%2Bmi9EMIRXaFI%2FxAhPGOXIT%2B19Z%2FE8%2F00M3TwQNYLT0MpJRDIOiAym7T4DVywmjWqH2TbyPMRhcGi3tvZfZ0Sb9 |
| PATH                           | /usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin   |
| SERVER_SIGNATURE               | <address>Apache/2.4.10 (Debian) Server at 10.203.21.80 Port 80</address>   |
| SERVER_SOFTWARE                | Apache/2.4.10 (Debian)   |
| SERVER_NAME                    | 10.203.21.80   |
| SERVER_ADDR                    | 10.203.21.80   |
| SERVER_PORT                    | 80   |
| REMOTE_ADDR                    | 10.203.200.153   |
| DOCUMENT_ROOT                  | /var/www/html  |
| REQUEST_SCHEME                 | http   |
| CONTEXT_PREFIX                 | /nextcloud   |
| CONTEXT_DOCUMENT_ROOT          | /var/www/nextcloud/  |
| SERVER_ADMIN                   | webmaster@localhost  |
| SCRIPT_FILENAME                | /var/www/nextcloud/phpinfo.php   |
| REMOTE_PORT                    | 62904  |
| GATEWAY_INTERFACE              | CGI/1.1  |
| SERVER_PROTOCOL                | HTTP/1.1   |
| REQUEST_METHOD                 | GET  |
| QUERY_STRING                   | <i>no value</i>  |
| REQUEST_URI                    | /nextcloud/phpinfo.php   |
| SCRIPT_NAME                    | /nextcloud/phpinfo.php   |

## HTTP Headers Information

| HTTP Request Headers      |   |
|---------------------------|---|
| HTTP Request              | GET /nextcloud/phpinfo.php HTTP/1.1   |
| User-Agent                | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/64.0.3282.140 Safari/537.36 Edge/17.17134 |
| Accept                    | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8   |
| Upgrade-Insecure-Requests | 1   |
| Accept-Encoding           | gzip, deflate   |
| Host                      | 10.203.21.80  |

|                              |  |
|------------------------------|--|
| Connection                   | Keep-Alive   |
| Cookie                       | nc_username=admin; nc_sameSiteCookiestrict=true; nc_token=D8vyp7Z7ywdb5nN1Uh9Fuem7xjz86aXh; nc_session_id=5u5ub01qn24n518u4b6c14lu15; nc_sameSiteCookielax=true; ocnugkha34d7=5u5ub01qn24n518u4b6c14lu15; oc_sessionPassphrase=SOkuVlx4NKZpa9E67jV8GoKHvR0vDgPXAJqkRjS%2FIK%2Bmi9EMIRXaFI%2FxAhPG0XIT%2B19Z%2FE8%2F0M3TwQNyLT0MpJRDl0iAym7T4DVywmjWqH2TbyPMRHcGi3tvZfZ0Sb9 |
| <b>HTTP Response Headers</b> |  |

## apcu

| APCu Support          | Enabled              |
|-----------------------|----------------------|
| Version               | 5.1.8                |
| APCu Debugging        | Enabled              |
| MMAP Support          | Enabled              |
| MMAP File Mask        | <i>no value</i>      |
| Serialization Support | php                  |
| Build Date            | Jun 16 2017 17:10:42 |

| Directive            | Local Value     | Master Value    |
|----------------------|-----------------|-----------------|
| apc.coredump_unmap   | Off             | Off             |
| apc.enable_cli       | Off             | Off             |
| apc.enabled          | On              | On              |
| apc.entries_hint     | 4096            | 4096            |
| apc.gc_ttl           | 3600            | 3600            |
| apc.mmap_file_mask   | <i>no value</i> | <i>no value</i> |
| apc.preload_path     | <i>no value</i> | <i>no value</i> |
| apc.serializer       | php             | php             |
| apc.shm_segments     | 1               | 1               |
| apc.shm_size         | 32M             | 32M             |
| apc.slam_defense     | On              | On              |
| apc.smart            | 0               | 0               |
| apc.ttl              | 0               | 0               |
| apc.use_request_time | On              | On              |
| apc.writable         | /tmp            | /tmp            |

## calendar

|                  |         |
|------------------|---------|
| Calendar support | enabled |
|------------------|---------|

## Core

|             |                     |
|-------------|---------------------|
| PHP Version | 7.0.16-1~dotdeb+8.1 |
|-------------|---------------------|

| Directive            | Local Value  | Master Value   |
|----------------------|--|--|
| allow_url_fopen      | On   | On   |
| allow_url_include    | Off  | Off  |
| arg_separator.input  | &  | &  |
| arg_separator.output | &  | &  |
| auto_append_file     | <i>no value</i>  | <i>no value</i>  |
| auto_globals_jit     | On   | On   |
| auto_prepend_file    | <i>no value</i>  | <i>no value</i>  |
| browscap             | <i>no value</i>  | <i>no value</i>  |
| default_charset      | UTF-8  | UTF-8  |
| default_mimetype     | text/html  | text/html  |
| disable_classes      | <i>no value</i>  | <i>no value</i>  |
| disable_functions    | pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wifcontnued,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority, | pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_wifcontnued,pcntl_wexitstatus,pcntl_wtermsig,pcntl_wstopsig,pcntl_signal,pcntl_signal_dispatch,pcntl_get_last_error,pcntl_strerror,pcntl_sigprocmask,pcntl_sigwaitinfo,pcntl_sigtimedwait,pcntl_exec,pcntl_getpriority,pcntl_setpriority, |

|                             |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| display_errors              | Off                      | Off                      |
| display_startup_errors      | Off                      | Off                      |
| doc_root                    | <i>no value</i>          | <i>no value</i>          |
| docref_ext                  | <i>no value</i>          | <i>no value</i>          |
| docref_root                 | <i>no value</i>          | <i>no value</i>          |
| enable_dl                   | Off                      | Off                      |
| enable_post_data_reading    | On                       | On                       |
| error_append_string         | <i>no value</i>          | <i>no value</i>          |
| error_log                   | <i>no value</i>          | <i>no value</i>          |
| error_prepend_string        | <i>no value</i>          | <i>no value</i>          |
| error_reporting             | 22527                    | 22527                    |
| exit_on_timeout             | Off                      | Off                      |
| expose_php                  | Off                      | Off                      |
| extension_dir               | /usr/lib/php/20151012    | /usr/lib/php/20151012    |
| file_uploads                | On                       | On                       |
| highlight.comment           | #FF8000                  | #FF8000                  |
| highlight.default           | #0000BB                  | #0000BB                  |
| highlight.html              | #000000                  | #000000                  |
| highlight.keyword           | #007700                  | #007700                  |
| highlight.string            | #DD0000                  | #DD0000                  |
| html_errors                 | On                       | On                       |
| ignore_repeated_errors      | Off                      | Off                      |
| ignore_repeated_source      | Off                      | Off                      |
| ignore_user_abort           | Off                      | Off                      |
| implicit_flush              | Off                      | Off                      |
| include_path                | ./usr/share/php          | ./usr/share/php          |
| input_encoding              | <i>no value</i>          | <i>no value</i>          |
| internal_encoding           | <i>no value</i>          | <i>no value</i>          |
| log_errors                  | On                       | On                       |
| log_errors_max_len          | 1024                     | 1024                     |
| mail.add_x_header           | On                       | On                       |
| mail.force_extra_parameters | <i>no value</i>          | <i>no value</i>          |
| mail.log                    | <i>no value</i>          | <i>no value</i>          |
| max_execution_time          | 30                       | 30                       |
| max_file_uploads            | 20                       | 20                       |
| max_input_nesting_level     | 64                       | 64                       |
| max_input_time              | 60                       | 60                       |
| max_input_vars              | 1000                     | 1000                     |
| memory_limit                | 512M                     | 128M                     |
| open_basedir                | <i>no value</i>          | <i>no value</i>          |
| output_buffering            | 0                        | 4096                     |
| output_encoding             | <i>no value</i>          | <i>no value</i>          |
| output_handler              | <i>no value</i>          | <i>no value</i>          |
| post_max_size               | 511M                     | 8M                       |
| precision                   | 14                       | 14                       |
| realpath_cache_size         | 4096K                    | 4096K                    |
| realpath_cache_ttl          | 120                      | 120                      |
| register_argc_argv          | Off                      | Off                      |
| report_memleaks             | On                       | On                       |
| report zend debug           | On                       | On                       |
| request_order               | GP                       | GP                       |
| sendmail_from               | <i>no value</i>          | <i>no value</i>          |
| sendmail_path               | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| serialize_precision         | 17                       | 17                       |
| short_open_tag              | Off                      | Off                      |
| SMTP                        | localhost                | localhost                |

|                           |                 |                 |
|---------------------------|-----------------|-----------------|
| smtp_port                 | 25              | 25              |
| sql.safe_mode             | Off             | Off             |
| sys_temp_dir              | <i>no value</i> | <i>no value</i> |
| track_errors              | Off             | Off             |
| unserialize_callback_func | <i>no value</i> | <i>no value</i> |
| upload_max_filesize       | 511M            | 2M              |
| upload_tmp_dir            | <i>no value</i> | <i>no value</i> |
| user_dir                  | <i>no value</i> | <i>no value</i> |
| user_ini.cache_ttl        | 300             | 300             |
| user_ini.filename         | .user.ini       | .user.ini       |
| variables_order           | GPCS            | GPCS            |
| xmlrpc_error_number       | 0               | 0               |
| xmlrpc_errors             | Off             | Off             |
| zend.assertions           | -1              | -1              |
| zend.detect_unicode       | On              | On              |
| zend.enable_gc            | On              | On              |
| zend.multibyte            | Off             | Off             |
| zend.script_encoding      | <i>no value</i> | <i>no value</i> |

### ctype

|                 |         |
|-----------------|---------|
| ctype functions | enabled |
|-----------------|---------|

### curl

|                  |   |
|------------------|---|
| cURL support     | enabled   |
| cURL Information | 7.38.0  |
| Age              | 3   |
| Features         |   |
| AsynchDNS        | Yes   |
| CharConv         | No  |
| Debug            | No  |
| GSS-Negotiate    | No  |
| IDN              | Yes   |
| IPv6             | Yes   |
| krb4             | No  |
| Largefile        | Yes   |
| libz             | Yes   |
| NTLM             | Yes   |
| NTLMWB           | Yes   |
| SPNEGO           | Yes   |
| SSL              | Yes   |
| SSPI             | No  |
| TLS-SRP          | Yes   |
| HTTP2            | No  |
| GSSAPI           | Yes   |
| Protocols        | dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smtp, smtps, telnet, tftp |
| Host             | x86_64-pc-linux-gnu   |
| SSL Version      | OpenSSL/1.0.1t  |
| ZLib Version     | 1.2.8   |
| libSSH Version   | libssh2/1.4.3   |

### date

|                                   |          |
|-----------------------------------|----------|
| date/time support                 | enabled  |
| "Olson" Timezone Database Version | 2016.10  |
| Timezone Database                 | internal |

|                  |     |
|------------------|-----|
| Default timezone | UTC |
|------------------|-----|

| Directive              | Local Value     | Master Value    |
|------------------------|-----------------|-----------------|
| date.default_latitude  | 31.7667         | 31.7667         |
| date.default_longitude | 35.2333         | 35.2333         |
| date.sunrise_zenith    | 90.583333       | 90.583333       |
| date.sunset_zenith     | 90.583333       | 90.583333       |
| date.timezone          | <i>no value</i> | <i>no value</i> |

### dom

|                     |          |
|---------------------|----------|
| DOM/XML             | enabled  |
| DOM/XML API Version | 20031129 |
| libxml Version      | 2.9.1    |
| HTML Support        | enabled  |
| XPath Support       | enabled  |
| XPointer Support    | enabled  |
| Schema Support      | enabled  |
| RelaxNG Support     | enabled  |

### exif

|                        |   |
|------------------------|---|
| EXIF Support           | enabled   |
| EXIF Version           | 1.4 \$Id: 8bdc0c8f27c2c9dd1f7551f1f9fe3ab57a06a4b1 \$ |
| Supported EXIF Version | 0220  |
| Supported filetypes    | JPEG, TIFF  |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| exif.decode_jis_intel        | JIS             | JIS             |
| exif.decode_jis_motorola     | JIS             | JIS             |
| exif.decode_unicode_intel    | UCS-2LE         | UCS-2LE         |
| exif.decode_unicode_motorola | UCS-2BE         | UCS-2BE         |
| exif.encode_jis              | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode          | ISO-8859-15     | ISO-8859-15     |

### fileinfo

|                  |         |
|------------------|---------|
| fileinfo support | enabled |
| version          | 1.0.5   |
| libmagic         | 522     |

### filter

|                                |   |
|--------------------------------|---|
| Input Validation and Filtering | enabled   |
| Revision                       | \$Id: 28fcca4bfda9c9907588a64d245b49cb398249d8 \$ |

| Directive            | Local Value     | Master Value    |
|----------------------|-----------------|-----------------|
| filter.default       | unsafe_raw      | unsafe_raw      |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

### ftp

|              |         |
|--------------|---------|
| FTP support  | enabled |
| FTPS support | enabled |

### gd

|                  |                            |
|------------------|----------------------------|
| GD Support       | enabled                    |
| GD Version       | bundled (2.1.0 compatible) |
| FreeType Support | enabled                    |

|                    |               |
|--------------------|---------------|
| FreeType Linkage   | with freetype |
| FreeType Version   | 2.5.2         |
| GIF Read Support   | enabled       |
| GIF Create Support | enabled       |
| JPEG Support       | enabled       |
| libJPEG Version    | 6b            |
| PNG Support        | enabled       |
| libPNG Version     | 1.2.50        |
| WBMP Support       | enabled       |
| XPM Support        | enabled       |
| libXpm Version     | 30411         |
| XBM Support        | enabled       |
| WebP Support       | enabled       |

| Directive              | Local Value | Master Value |
|------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0           | 0            |

### gettext

|                 |         |
|-----------------|---------|
| GetText Support | enabled |
|-----------------|---------|

### hash

|                 |  |
|-----------------|--|
| hash support    | enabled  |
| Hashing Engines | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

|                   |                  |
|-------------------|------------------|
| MHASH support     | Enabled          |
| MHASH API Version | Emulated Support |

### iconv

|                       |         |
|-----------------------|---------|
| iconv support         | enabled |
| iconv implementation  | glibc   |
| iconv library version | 2.19    |

| Directive               | Local Value     | Master Value    |
|-------------------------|-----------------|-----------------|
| iconv.input_encoding    | <i>no value</i> | <i>no value</i> |
| iconv.internal_encoding | <i>no value</i> | <i>no value</i> |
| iconv.output_encoding   | <i>no value</i> | <i>no value</i> |

### imagemick

| imagemick module                              | enabled   |
|---|---|
| imagemick module version                      | 3.4.3   |
| imagemick classes                             | ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator, ImageMagickKernel   |
| ImageMagick compiled with ImageMagick version | ImageMagick 6.8.9-9 Q16 x86_64 2016-11-26 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>   |
| ImageMagick using ImageMagick library version | ImageMagick 6.8.9-9 Q16 x86_64 2017-02-27 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>   |
| ImageMagick copyright                         | Copyright (C) 1999-2014 ImageMagick Studio LLC  |
| ImageMagick release date                      | 2017-02-27  |
| ImageMagick number of supported formats:      | 215   |
| ImageMagick supported formats                 | 3FR, AAI, AI, ART, ARW, AVI, AVS, BGR, BGRA, BIE, BMP, BMP2, BMP3, BRF, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DJVU, DNG, DOT, DPX, DXT1, DXT5, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FAX, FITS, FRACTAL, FTS, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, GV, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, JBG, JBIG, JNG, JNX, JPEG, JPG, JSON, K25, KDC, LABEL, M2V, M4V, MAC, MAP, MASK, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, ORF, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG00, PNG24, PNG32, PNG48, PNG64, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, RADIAL-GRADIENT, RAF, RAS, RAW, RGB, RGBA,RGBO, RGF, RLA, RLE, RMF, |

RW2, SCR, SCT, SFW, SGI, SHTML, SIX, SIXEL, SPARSE-COLOR, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAI, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VIPS, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, YCbCr, YCbCrA, YUV

| Directive                      | Local Value | Master Value |
|--------------------------------|-------------|--------------|
| imagemagick.locale_fix         | 0           | 0            |
| imagemagick.progress_monitor   | 0           | 0            |
| imagemagick.skip_version_check | 0           | 0            |

## intl

| Internationalization support | enabled |
|------------------------------|---------|
| version                      | 1.1.0   |
| ICU version                  | 52.1    |
| ICU Data version             | 52.1    |

| Directive           | Local Value     | Master Value    |
|---------------------|-----------------|-----------------|
| intl.default_locale | <i>no value</i> | <i>no value</i> |
| intl.error_level    | 0               | 0               |
| intl.use_exceptions | 0               | 0               |

## json

|              |         |
|--------------|---------|
| json support | enabled |
| json version | 1.4.0   |

## ldap

|                |   |
|----------------|---|
| LDAP Support   | enabled   |
| RCS Version    | \$(id: 109508bbbef73ca923b37138cbac56802f1231b \$ |
| Total Links    | 0/unlimited                                       |
| API Version    | 3001  |
| Vendor Name    | OpenLDAP  |
| Vendor Version | 20440   |
| SASL Support   | Enabled   |

| Directive      | Local Value | Master Value |
|----------------|-------------|--------------|
| ldap.max_links | Unlimited   | Unlimited    |

## libsmbclient

|         |       |
|---------|-------|
| Version | 0.9.0 |
|---------|-------|

## libxml

|                         |         |
|-------------------------|---------|
| libXML support          | active  |
| libXML Compiled Version | 2.9.1   |
| libXML Loaded Version   | 20901   |
| libXML streams          | enabled |

## mbstring

|                                 |          |
|---------------------------------|----------|
| Multibyte Support               | enabled  |
| Multibyte string engine         | libmbfl  |
| HTTP input encoding translation | disabled |
| libmbfl version                 | 1.3.2    |
| oniguruma version               | 5.9.6    |

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**



|   |         |
|---|---------|
| Multibyte (japanese) regex support          | enabled |
| Multibyte regex (oniguruma) backtrack check | On      |
| Multibyte regex (oniguruma) version         | 5.9.6   |

| Directive                           | Local Value                   | Master Value                  |
|-------------------------------------|-------------------------------|-------------------------------|
| mbstring.detect_order               | no value                      | no value                      |
| mbstring.encoding_translation       | Off                           | Off                           |
| mbstring.func_overload              | 0                             | 0                             |
| mbstring.http_input                 | no value                      | no value                      |
| mbstring.http_output                | no value                      | no value                      |
| mbstring.http_output_conv_mimetypes | ^(text application/xhtml+xml) | ^(text application/xhtml+xml) |
| mbstring.internal_encoding          | no value                      | no value                      |
| mbstring.language                   | neutral                       | neutral                       |
| mbstring.strict_detection           | Off                           | Off                           |
| mbstring.substitute_character       | no value                      | no value                      |

### mcrypt

|                              |  |
|------------------------------|--|
| <b>mcrypt support</b>        | <b>enabled</b>   |
| <b>mcrypt_filter support</b> | <b>enabled</b>   |
| Version                      | 2.5.8  |
| Api No                       | 20021217   |
| Supported ciphers            | cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes |
| Supported modes              | cbc cfb ctr ecb ncfb nofb ofb stream   |

| Directive             | Local Value | Master Value |
|-----------------------|-------------|--------------|
| mcrypt.algorithms_dir | no value    | no value     |
| mcrypt.modes_dir      | no value    | no value     |

### mysqli

|                            |   |
|----------------------------|---|
| <b>Mysqli Support</b>      | <b>enabled</b>  |
| Client API library version | mysqlnd 5.0.12-dev - 20150407 - \$Id: b5c5906d452ec590732a93b051f3827e02749b83 \$ |
| Active Persistent Links    | 0   |
| Inactive Persistent Links  | 0   |
| Active Links               | 0   |

| Directive                       | Local Value | Master Value |
|---------------------------------|-------------|--------------|
| mysqli.allow_local_infile       | On          | On           |
| mysqli.allow_persistent         | On          | On           |
| mysqli.default_host             | no value    | no value     |
| mysqli.default_port             | 3306        | 3306         |
| mysqli.default_pw               | no value    | no value     |
| mysqli.default_socket           | no value    | no value     |
| mysqli.default_user             | no value    | no value     |
| mysqli.max_links                | Unlimited   | Unlimited    |
| mysqli.max_persistent           | Unlimited   | Unlimited    |
| mysqli.reconnect                | Off         | Off          |
| mysqli.rollback_on_cached_plink | Off         | Off          |

### mysqlnd

|                |   |
|----------------|---|
| <b>mysqlnd</b> | <b>enabled</b>  |
| Version        | mysqlnd 5.0.12-dev - 20150407 - \$Id: b5c5906d452ec590732a93b051f3827e02749b83 \$ |
| Compression    | supported   |
| core SSL       | supported   |
| extended SSL   | supported   |

|                              |   |
|------------------------------|---|
| Command buffer size          | 4096  |
| Read buffer size             | 32768   |
| Read timeout                 | 31536000  |
| Collecting statistics        | Yes   |
| Collecting memory statistics | No  |
| Tracing                      | n/a   |
| Loaded plugins               | mysqld,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_sha256_password |
| API Extensions               | mysqli,pdo_mysql  |

| <b>mysqld statistics</b>                   |         |
|--|---------|
| bytes_sent                                 | 511107  |
| bytes_received                             | 2830473 |
| packets_sent                               | 5062    |
| packets_received                           | 52042   |
| protocol_overhead_in                       | 208168  |
| protocol_overhead_out                      | 20248   |
| bytes_received_ok_packet                   | 0       |
| bytes_received_eof_packet                  | 0       |
| bytes_received_rset_header_packet          | 17991   |
| bytes_received_rset_field_meta_packet      | 0       |
| bytes_received_rset_row_packet             | 20842   |
| bytes_received_prepare_response_packet     | 1403875 |
| bytes_received_change_user_packet          | 1369295 |
| packets_sent_command                       | 2456    |
| packets_received_ok                        | 0       |
| packets_received_eof                       | 0       |
| packets_received_rset_header               | 1999    |
| packets_received_rset_field_meta           | 0       |
| packets_received_rset_row                  | 2381    |
| packets_received_prepare_response          | 19877   |
| packets_received_change_user               | 27635   |
| result_set_queries                         | 1999    |
| non_result_set_queries                     | 381     |
| no_index_used                              | 267     |
| bad_index_used                             | 0       |
| slow_queries                               | 0       |
| buffered_sets                              | 1999    |
| unbuffered_sets                            | 0       |
| ps_buffered_sets                           | 0       |
| ps_unbuffered_sets                         | 0       |
| flushed_normal_sets                        | 0       |
| flushed_ps_sets                            | 0       |
| ps_prepared_never_executed                 | 0       |
| ps_prepared_once_executed                  | 0       |
| rows_fetched_from_server_normal            | 25636   |
| rows_fetched_from_server_ps                | 0       |
| rows_buffered_from_client_normal           | 25636   |
| rows_buffered_from_client_ps               | 0       |
| rows_fetched_from_client_normal_buffered   | 25626   |
| rows_fetched_from_client_normal_unbuffered | 0       |
| rows_fetched_from_client_ps_buffered       | 0       |
| rows_fetched_from_client_ps_unbuffered     | 0       |
| rows_fetched_from_client_ps_cursor         | 0       |
| rows_affected_normal                       | 391     |
| rows_affected_ps                           | 0       |
| rows_skipped_normal                        | 25636   |

|                               |                      |
|-------------------------------|----------------------|
| rows_skipped_ps               | 0                    |
| copy_on_write_saved           | 0                    |
| copy_on_write_performed       | 0                    |
| command_buffer_too_small      | 0                    |
| connect_success               | 75                   |
| connect_failure               | 0                    |
| connection_reused             | 0                    |
| reconnect                     | 0                    |
| pconnect_success              | 0                    |
| active_connections            | 18446744073709551541 |
| active_persistent_connections | 0                    |
| explicit_close                | 75                   |
| implicit_close                | 0                    |
| disconnect_close              | 0                    |
| in_middle_of_command_close    | 0                    |
| explicit_free_result          | 1999                 |
| implicit_free_result          | 0                    |
| explicit_stmt_close           | 0                    |
| implicit_stmt_close           | 0                    |
| mem_emalloc_count             | 0                    |
| mem_emalloc_amount            | 0                    |
| mem_ecalloc_count             | 0                    |
| mem_ecalloc_amount            | 0                    |
| mem_erealloc_count            | 0                    |
| mem_erealloc_amount           | 0                    |
| mem_efree_count               | 0                    |
| mem_efree_amount              | 0                    |
| mem_malloc_count              | 0                    |
| mem_malloc_amount             | 0                    |
| mem_calloc_count              | 0                    |
| mem_calloc_amount             | 0                    |
| mem_realloc_count             | 0                    |
| mem_realloc_amount            | 0                    |
| mem_free_count                | 0                    |
| mem_free_amount               | 0                    |
| mem_strndup_count             | 0                    |
| mem_strndup_count             | 0                    |
| mem_estndup_count             | 0                    |
| mem_strdup_count              | 0                    |
| proto_text_fetched_null       | 0                    |
| proto_text_fetched_bit        | 0                    |
| proto_text_fetched_tinyint    | 2                    |
| proto_text_fetched_short      | 289                  |
| proto_text_fetched_int24      | 0                    |
| proto_text_fetched_int        | 10894                |
| proto_text_fetched_bigint     | 600                  |
| proto_text_fetched_decimal    | 0                    |
| proto_text_fetched_float      | 0                    |
| proto_text_fetched_double     | 0                    |
| proto_text_fetched_date       | 0                    |
| proto_text_fetched_year       | 0                    |
| proto_text_fetched_time       | 0                    |
| proto_text_fetched_datetime   | 0                    |
| proto_text_fetched_timestamp  | 0                    |
| proto_text_fetched_string     | 47801                |
| proto_text_fetched_blob       | 0                    |

|                                |       |
|--------------------------------|-------|
| proto_text_fetched_enum        | 19693 |
| proto_text_fetched_set         | 0     |
| proto_text_fetched_geometry    | 0     |
| proto_text_fetched_other       | 0     |
| proto_binary_fetched_null      | 0     |
| proto_binary_fetched_bit       | 0     |
| proto_binary_fetched_tinyint   | 0     |
| proto_binary_fetched_short     | 0     |
| proto_binary_fetched_int24     | 0     |
| proto_binary_fetched_int       | 0     |
| proto_binary_fetched_bigint    | 0     |
| proto_binary_fetched_decimal   | 0     |
| proto_binary_fetched_float     | 0     |
| proto_binary_fetched_double    | 0     |
| proto_binary_fetched_date      | 0     |
| proto_binary_fetched_year      | 0     |
| proto_binary_fetched_time      | 0     |
| proto_binary_fetched_datetime  | 0     |
| proto_binary_fetched_timestamp | 0     |
| proto_binary_fetched_string    | 0     |
| proto_binary_fetched_json      | 0     |
| proto_binary_fetched_blob      | 0     |
| proto_binary_fetched_enum      | 0     |
| proto_binary_fetched_set       | 0     |
| proto_binary_fetched_geometry  | 0     |
| proto_binary_fetched_other     | 0     |
| init_command_executed_count    | 0     |
| init_command_failed_count      | 0     |
| com_quit                       | 75    |
| com_init_db                    | 0     |
| com_query                      | 2381  |
| com_field_list                 | 0     |
| com_create_db                  | 0     |
| com_drop_db                    | 0     |
| com_refresh                    | 0     |
| com_shutdown                   | 0     |
| com_statistics                 | 0     |
| com_process_info               | 0     |
| com_connect                    | 0     |
| com_process_kill               | 0     |
| com_debug                      | 0     |
| com_ping                       | 0     |
| com_time                       | 0     |
| com_delayed_insert             | 0     |
| com_change_user                | 0     |
| com_binlog_dump                | 0     |
| com_table_dump                 | 0     |
| com_connect_out                | 0     |
| com_register_slave             | 0     |
| com_stmt_prepare               | 0     |
| com_stmt_execute               | 0     |
| com_stmt_send_long_data        | 0     |
| com_stmt_close                 | 0     |
| com_stmt_reset                 | 0     |
| com_stmt_set_option            | 0     |
| com_stmt_fetch                 | 0     |

|                                 |         |
|---------------------------------|---------|
| com_daemon                      | 0       |
| bytes_received_real_data_normal | 1178258 |
| bytes_received_real_data_ps     | 0       |

## openssl

|                         |                           |
|-------------------------|---------------------------|
| OpenSSL support         | enabled                   |
| OpenSSL Library Version | OpenSSL 1.0.1t 3 May 2016 |
| OpenSSL Header Version  | OpenSSL 1.0.1t 3 May 2016 |
| OpenSSL default config  | /usr/lib/ssl/openssl.cnf  |

| Directive      | Local Value | Master Value |
|----------------|-------------|--------------|
| openssl.cafile | no value    | no value     |
| openssl.capath | no value    | no value     |

## pcre

|  |                 |
|--|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled         |
| PCRE Library Version                               | 8.39 2016-06-14 |
| PCRE JIT Support                                   | enabled         |

| Directive            | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000     | 1000000      |
| pcre.jit             | 1           | 1            |
| pcre.recursion_limit | 100000      | 100000       |

## PDO

|                    |                |
|--------------------|----------------|
| <b>PDO support</b> | <b>enabled</b> |
| PDO drivers        | mysql          |

## pdo\_mysql

|                             |   |
|-----------------------------|---|
| <b>PDO Driver for MySQL</b> | <b>enabled</b>  |
| Client API version          | mysqlnd 5.0.12-dev - 20150407 - \$Id: b5c5906d452ec590732a93b051f3827e02749b83 \$ |

| Directive                | Local Value               | Master Value              |
|--------------------------|---------------------------|---------------------------|
| pdo_mysql.default_socket | /var/run/mysql/mysql.sock | /var/run/mysql/mysql.sock |

## Phar

|                                  |   |
|----------------------------------|---|
| <b>Phar: PHP Archive support</b> | <b>enabled</b>                                    |
| Phar EXT version                 | 2.0.2   |
| Phar API version                 | 1.1.1   |
| SVN revision                     | \$Id: 9d91fd26ae99260111b934cc25174387d4bd7059 \$ |
| Phar-based phar archives         | enabled   |
| Tar-based phar archives          | enabled   |
| ZIP-based phar archives          | enabled   |
| gzip compression                 | enabled   |
| bzip2 compression                | disabled (install pecl/bz2)                       |
| Native OpenSSL support           | enabled   |

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive       | Local Value | Master Value |
|-----------------|-------------|--------------|
| phar.cache_list | no value    | no value     |
| phar.readonly   | On          | On           |

|                   |    |    |
|-------------------|----|----|
| phar.require_hash | On | On |
|-------------------|----|----|

## posix

|          |   |
|----------|---|
| Revision | \$Id: b691ca925e7a085e6929579c4eba8fed0732e0ef \$ |
|----------|---|

## readline

|                         |                  |
|-------------------------|------------------|
| <b>Readline Support</b> | <b>enabled</b>   |
| Readline library        | EditLine wrapper |

| Directive  | Local Value     | Master Value    |
|------------|-----------------|-----------------|
| cli.pager  | <i>no value</i> | <i>no value</i> |
| cli.prompt | \b >            | \b >            |

## Reflection

|                   |   |
|-------------------|---|
| <b>Reflection</b> | <b>enabled</b>                                    |
| Version           | \$Id: 7d703262f14bc65e05ff76fb3714c945f9bf961a \$ |

## session

|                                |                                   |
|--------------------------------|-----------------------------------|
| Session Support                | enabled                           |
| Registered save handlers       | files user                        |
| Registered serializer handlers | php_serialize php php_binary wddx |

| Directive                        | Local Value                 | Master Value                |
|----------------------------------|-----------------------------|-----------------------------|
| session.auto_start               | Off                         | Off                         |
| session.cache_expire             | 180                         | 180                         |
| session.cache_limiter            | nocache                     | nocache                     |
| session.cookie_domain            | <i>no value</i>             | <i>no value</i>             |
| session.cookie_httponly          | Off                         | Off                         |
| session.cookie_lifetime          | 0                           | 0                           |
| session.cookie_path              | /                           | /                           |
| session.cookie_secure            | Off                         | Off                         |
| session.entropy_file             | /dev/urandom                | /dev/urandom                |
| session.entropy_length           | 32                          | 32                          |
| session.gc_divisor               | 1000                        | 1000                        |
| session.gc_maxlifetime           | 1440                        | 1440                        |
| session.gc_probability           | 0                           | 0                           |
| session.hash_bits_per_character  | 5                           | 5                           |
| session.hash_function            | 0                           | 0                           |
| session.lazy_write               | On                          | On                          |
| session.name                     | PHPSESSID                   | PHPSESSID                   |
| session.referer_check            | <i>no value</i>             | <i>no value</i>             |
| session.save_handler             | files                       | files                       |
| session.save_path                | /var/lib/php/sessions       | /var/lib/php/sessions       |
| session.serialize_handler        | php                         | php                         |
| session.upload_progress.cleanup  | On                          | On                          |
| session.upload_progress.enabled  | On                          | On                          |
| session.upload_progress.freq     | 1%                          | 1%                          |
| session.upload_progress.min_freq | 1                           | 1                           |
| session.upload_progress.name     | PHP_SESSION_UPLOAD_PROGRESS | PHP_SESSION_UPLOAD_PROGRESS |
| session.upload_progress.prefix   | upload_progress_            | upload_progress_            |
| session.use_cookies              | On                          | On                          |
| session.use_only_cookies         | On                          | On                          |
| session.use_strict_mode          | Off                         | Off                         |
| session.use_trans_sid            | 0                           | 0                           |

## shmpop

|                |         |
|----------------|---------|
| shmpop support | enabled |
|----------------|---------|

## SimpleXML

| Simplexml support | enabled   |
|-------------------|---|
| Revision          | \$Id: b8b5c37931a53e50a937c0aef2a26d351e173215 \$ |
| Schema support    | enabled   |

## smbclient

|                              |               |
|------------------------------|---------------|
| smbclient Support            | enabled       |
| smbclient extension Version  | 0.9.0         |
| libsmbclient library Version | 4.2.14-Debian |

## sockets

|                 |         |
|-----------------|---------|
| Sockets Support | enabled |
|-----------------|---------|

## SPL

| SPL support | enabled   |
|-------------|---|
| Interfaces  | Countable, OuterIterator, RecursivIterator, SeekableIterator, SplObserver, SplSubject   |
| Classes     | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

## standard

|                         |                          |
|-------------------------|--------------------------|
| Dynamic Library Support | enabled                  |
| Path to sendmail        | /usr/sbin/sendmail -t -i |

| Directive                | Local Value   | Master Value  |
|--------------------------|---|---|
| assert.active            | 1   | 1   |
| assert.bail              | 0   | 0   |
| assert.callback          | <i>no value</i>                                     | <i>no value</i>                                     |
| assert.exception         | 0   | 0   |
| assert.quiet_eval        | 0   | 0   |
| assert.warning           | 1   | 1   |
| auto_detect_line_endings | 0   | 0   |
| default_socket_timeout   | 60  | 60  |
| from                     | <i>no value</i>                                     | <i>no value</i>                                     |
| url_rewriter.tags        | a=href,area=href,frame=src,input=src,form=fakeentry | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent               | <i>no value</i>                                     | <i>no value</i>                                     |

## sysvmsg

|                 |   |
|-----------------|---|
| sysvmsg support | enabled   |
| Revision        | \$Id: dfb999763f95bfe9609fae60b4e07a492888ec7c \$ |

## sysvsem

|         |                     |
|---------|---------------------|
| Version | 7.0.16-1~dotdeb+8.1 |
|---------|---------------------|

## sysvshm

|  |  |
|--|--|
|  |  |
|--|--|

|         |                     |
|---------|---------------------|
| Version | 7.0.16-1~dotdeb+8.1 |
|---------|---------------------|

### tokenizer

|                   |         |
|-------------------|---------|
| Tokenizer Support | enabled |
|-------------------|---------|

### wddx

|                         |                |
|-------------------------|----------------|
| <b>WDDX Support</b>     | <b>enabled</b> |
| WDDX Session Serializer | enabled        |

### xml

|                       |        |
|-----------------------|--------|
| XML Support           | active |
| XML Namespace Support | active |
| libxml2 Version       | 2.9.1  |

### xmlreader

|           |         |
|-----------|---------|
| XMLReader | enabled |
|-----------|---------|

### xmlwriter

|           |         |
|-----------|---------|
| XMLWriter | enabled |
|-----------|---------|

### xsl

|   |         |
|---|---------|
| XSL                                     | enabled |
| libxslt Version                         | 1.1.28  |
| libxslt compiled against libxml Version | 2.9.1   |
| EXSLT                                   | enabled |
| libexslt Version                        | 1.1.28  |

### Zend OPcache

|                              |                |
|------------------------------|----------------|
| Opcode Caching               | Up and Running |
| Optimization                 | Enabled        |
| SHM Cache                    | Enabled        |
| File Cache                   | Disabled       |
| Startup                      | OK             |
| Shared memory model          | mmap           |
| Cache hits                   | 420241         |
| Cache misses                 | 1288           |
| Used memory                  | 43593160       |
| Free memory                  | 90624568       |
| Wasted memory                | 0              |
| Interned Strings Used memory | 8388576        |
| Interned Strings Free memory | 32             |
| Cached scripts               | 1288           |
| Cached keys                  | 2457           |
| Max keys                     | 16229          |
| OOM restarts                 | 0              |
| Hash keys restarts           | 0              |
| Manual restarts              | 0              |

| Directive                  | Local Value     | Master Value    |
|----------------------------|-----------------|-----------------|
| opcache.blacklist_filename | <i>no value</i> | <i>no value</i> |
| opcache.consistency_checks | 0               | 0               |
| opcache.dups_fix           | Off             | Off             |
| opcache.enable             | On              | On              |



|                                       |                 |                 |
|---------------------------------------|-----------------|-----------------|
| opcache.enable_cli                    | On              | On              |
| opcache.enable_file_override          | Off             | Off             |
| opcache.error_log                     | <i>no value</i> | <i>no value</i> |
| opcache.fast_shutdown                 | 0               | 0               |
| opcache.file_cache                    | <i>no value</i> | <i>no value</i> |
| opcache.file_cache_consistency_checks | 1               | 1               |
| opcache.file_cache_only               | 0               | 0               |
| opcache.file_update_protection        | 2               | 2               |
| opcache.force_restart_timeout         | 180             | 180             |
| opcache.huge_code_pages               | Off             | Off             |
| opcache.inherited_hack                | On              | On              |
| opcache.interned_strings_buffer       | 8               | 8               |
| opcache.lockfile_path                 | /tmp            | /tmp            |
| opcache.log_verbosity_level           | 1               | 1               |
| opcache.max_accelerated_files         | 10000           | 10000           |
| opcache.max_file_size                 | 0               | 0               |
| opcache.max_wasted_percentage         | 5               | 5               |
| opcache.memory_consumption            | 128             | 128             |
| opcache.optimization_level            | 0x7FFFBFFF      | 0x7FFFBFFF      |
| opcache.preferred_memory_model        | <i>no value</i> | <i>no value</i> |
| opcache.protect_memory                | 0               | 0               |
| opcache.restrict_api                  | <i>no value</i> | <i>no value</i> |
| opcache.revalidate_freq               | 1               | 1               |
| opcache.revalidate_path               | Off             | Off             |
| opcache.save_comments                 | 1               | 1               |
| opcache.use_cwd                       | On              | On              |
| opcache.validate_permission           | Off             | Off             |
| opcache.validate_root                 | Off             | Off             |
| opcache.validate_timestamps           | On              | On              |

## zip

|                |         |
|----------------|---------|
| Zip            | enabled |
| Zip version    | 1.13.5  |
| Libzip version | 0.11.2  |

## zlib

|                     |                            |
|---------------------|----------------------------|
| <b>ZLib Support</b> | <b>enabled</b>             |
| Stream Wrapper      | compress.zlib://           |
| Stream Filter       | zlib.inflate, zlib.deflate |
| Compiled Version    | 1.2.8                      |
| Linked Version      | 1.2.8                      |

| Directive                     | Local Value     | Master Value    |
|-------------------------------|-----------------|-----------------|
| zlib.output_compression       | Off             | Off             |
| zlib.output_compression_level | -1              | -1              |
| zlib.output_handler           | <i>no value</i> | <i>no value</i> |

## Additional Modules

| Module Name |
|-------------|
|-------------|

## Environment

| Variable        | Value                        |
|-----------------|------------------------------|
| APACHE_RUN_DIR  | /var/run/apache2             |
| APACHE_PID_FILE | /var/run/apache2/apache2.pid |

|                  |  |
|------------------|--|
| PATH             | /usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin |
| APACHE_LOCK_DIR  | /var/lock/apache2  |
| LANG             | C  |
| APACHE_RUN_USER  | www-data   |
| APACHE_RUN_GROUP | www-data   |
| APACHE_LOG_DIR   | /var/log/apache2   |
| PWD              | /  |

## PHP Variables

| Variable                                    | Value   |
|---|---|
| \$_COOKIE['nc_username']                    | admin   |
| \$_COOKIE['nc_sameSiteCookiestrict']        | true  |
| \$_COOKIE['nc_token']                       | D8vyp7Z7ywdb5nN1Uh9Fuem7xjz86aXh  |
| \$_COOKIE['nc_session_id']                  | 5u5ub01qn24n518u4b6c14lu15  |
| \$_COOKIE['nc_sameSiteCookielax']           | true  |
| \$_COOKIE['ocnugkha34d7']                   | 5u5ub01qn24n518u4b6c14lu15  |
| \$_COOKIE['oc_sessionPassphrase']           | SOkuVlx4NKZpa9E67jV8GoKHvR0vDgPXAjqkRjS/K+mi9EMIRXaFI/xAhPG0XIT+19Z/E8/00M3TwQNYLT0MpJRDI0iAym7T4DVywmjWqH2TbyPMRHcGi3tvZfZ0Sb9   |
| \$_SERVER['HTTP_AUTHORIZATION']             | no value  |
| \$_SERVER['HOME']                           | /var/www/nextcloud  |
| \$_SERVER['HTTP_HOME']                      | /var/www/nextcloud  |
| \$_SERVER['modHeadersAvailable']            | true  |
| \$_SERVER['htaccessWorking']                | true  |
| \$_SERVER['HTTP_USER_AGENT']                | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/64.0.3282.140 Safari/537.36 Edge/17.17134   |
| \$_SERVER['HTTP_ACCEPT']                    | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8   |
| \$_SERVER['HTTP_UPGRADE_INSECURE_REQUESTS'] | 1   |
| \$_SERVER['HTTP_ACCEPT_ENCODING']           | gzip, deflate   |
| \$_SERVER['HTTP_HOST']                      | 10.203.21.80  |
| \$_SERVER['HTTP_CONNECTION']                | Keep-Alive  |
| \$_SERVER['HTTP_COOKIE']                    | nc_username=admin; nc_sameSiteCookiestrict=true; nc_token=D8vyp7Z7ywdb5nN1Uh9Fuem7xjz86aXh; nc_session_id=5u5ub01qn24n518u4b6c14lu15; nc_sameSiteCookielax=true; ocnugkha34d7=5u5ub01qn24n518u4b6c14lu15; oc_sessionPassphrase=SOkuVlx4NKZpa9E67jV8GoKHvR0vDgPXAjqkRjS%2Fik%2Bmi9EMIRXaFI%2FxAhPG0XIT%2B19Z%2FE8%2F00M3TwQNYLT0MpJRDl0iAym7T4DVywmjWqH2TbyPMRHcGi3tvZfZ0Sb9 |
| \$_SERVER['PATH']                           | /usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin  |
| \$_SERVER['SERVER_SIGNATURE']               | <address>Apache/2.4.10 (Debian) Server at 10.203.21.80 Port 80</address>  |
| \$_SERVER['SERVER_SOFTWARE']                | Apache/2.4.10 (Debian)  |
| \$_SERVER['SERVER_NAME']                    | 10.203.21.80  |
| \$_SERVER['SERVER_ADDR']                    | 10.203.21.80  |
| \$_SERVER['SERVER_PORT']                    | 80  |
| \$_SERVER['REMOTE_ADDR']                    | 10.203.200.153  |
| \$_SERVER['DOCUMENT_ROOT']                  | /var/www/html   |
| \$_SERVER['REQUEST_SCHEME']                 | http  |
| \$_SERVER['CONTEXT_PREFIX']                 | /nextcloud  |
| \$_SERVER['CONTEXT_DOCUMENT_ROOT']          | /var/www/nextcloud/   |
| \$_SERVER['SERVER_ADMIN']                   | webmaster@localhost   |
| \$_SERVER['SCRIPT_FILENAME']                | /var/www/nextcloud/phpinfo.php  |
| \$_SERVER['REMOTE_PORT']                    | 62904   |
| \$_SERVER['GATEWAY_INTERFACE']              | CGI/1.1   |
| \$_SERVER['SERVER_PROTOCOL']                | HTTP/1.1  |
| \$_SERVER['REQUEST_METHOD']                 | GET   |
| \$_SERVER['QUERY_STRING']                   | no value  |
| \$_SERVER['REQUEST_URI']                    | /nextcloud/phpinfo.php  |
| \$_SERVER['SCRIPT_NAME']                    | /nextcloud/phpinfo.php  |
| \$_SERVER['PHP_SELF']                       | /nextcloud/phpinfo.php  |
| \$_SERVER['REQUEST_TIME_FLOAT']             | 1543540042.134  |

## PHP Credits

### PHP Group

Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski

### Language Design & Concept

Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger

### PHP Authors

| Contribution                        | Authors  |
|-------------------------------------|--|
| Zend Scripting Language Engine      | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchun Hui, Nikita Popov |
| Extension Module API                | Andi Gutmans, Zeev Suraski, Andrei Zmievski  |
| UNIX Build and Modularization       | Stig Bakken, Sascha Schumann, Jani Taskinen  |
| Windows Support                     | Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski, Kalle Sommer Nielsen         |
| Server API (SAPI) Abstraction Layer | Andi Gutmans, Shane Caraveo, Zeev Suraski  |
| Streams Abstraction Layer           | Wez Furlong, Sara Golemon  |
| PHP Data Objects Layer              | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky                      |
| Output Handler                      | Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner  |
| Consistent 64 bit support           | Anthony Ferrara, Anatol Belski   |

### SAPI Modules

| Contribution            | Authors   |
|-------------------------|---|
| Apache 2.0 Handler      | Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)                    |
| CGI / FastCGI           | Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov                           |
| CLI                     | Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui |
| Embed                   | Edin Kadribasic   |
| FastCGI Process Manager | Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet                           |
| litespeed               | George Wang   |
| phpdbg                  | Felipe Pena, Joe Watkins, Bob Weinand   |

### Module Authors

| Module                  | Authors   |
|-------------------------|---|
| BC Math                 | Andi Gutmans  |
| Bzip2                   | Sterling Hughes   |
| Calendar                | Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong  |
| COM and .Net            | Wez Furlong   |
| ctype                   | Hartmut Holzgraefe  |
| cURL                    | Sterling Hughes   |
| Date/Time Support       | Derick Rethans  |
| DBA                     | Sascha Schumann, Marcus Boerger   |
| DB-LIB (MS SQL, Sybase) | Wez Furlong, Frank M. Kromann   |
| DOM                     | Christian Stocker, Rob Richards, Marcus Boerger   |
| enchant                 | Pierre-Alain Joye, Ilia Alshanetsky   |
| EXIF                    | Rasmus Lerdorf, Marcus Boerger  |
| fileinfo                | Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans   |
| Firebird driver for PDO | Ard Biesheuvel  |
| FTP                     | Stefan Esser, Andrew Skalski  |
| GD imaging              | Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger                                    |
| GetText                 | Alex Plotnick   |
| GNU GMP support         | Stanislav Malyshev  |
| Iconv                   | Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi  |
| IMAP                    | Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky |
| Input Filter            | Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky   |

|                                    |   |
|------------------------------------|---|
| <b>InterBase</b>                   | Jouni Ahto, Andrew Avdeev, Ard Biesheuvel   |
| <b>Internationalization</b>        | Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar   |
| <b>JSON</b>                        | Jakub Zelenka, Omar Kilani, Scott MacVicar  |
| <b>LDAP</b>                        | Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas   |
| <b>LIBXML</b>                      | Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo   |
| <b>mcrypt</b>                      | Sascha Schumann, Derick Rethans   |
| <b>Multibyte String Functions</b>  | Tsukada Takuya, Rui Hirokawa  |
| <b>MySQL driver for PDO</b>        | George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter  |
| <b>MySQLi</b>                      | Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel   |
| <b>MySQLnd</b>                     | Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter  |
| <b>OCI8</b>                        | Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation |
| <b>ODBC driver for PDO</b>         | Wez Furlong   |
| <b>ODBC</b>                        | Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky   |
| <b>Opcache</b>                     | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Dmitry Stogov, Xinchun Hui  |
| <b>OpenSSL</b>                     | Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar  |
| <b>Oracle (OCI) driver for PDO</b> | Wez Furlong   |
| <b>pcntl</b>                       | Jason Greene, Arnaud Le Blanc   |
| <b>Perl Compatible Regexprs</b>    | Andrei Zmievski   |
| <b>PHP Archive</b>                 | Gregory Beaver, Marcus Boerger  |
| <b>PHP Data Objects</b>            | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky   |
| <b>PHP hash</b>                    | Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar   |
| <b>Posix</b>                       | Kristian Koehnopp   |
| <b>PostgreSQL driver for PDO</b>   | Edin Kadribasic, Ilia Alshanetsky   |
| <b>PostgreSQL</b>                  | Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne   |
| <b>Pspell</b>                      | Vlad Krupin   |
| <b>Readline</b>                    | Thies C. Arntzen  |
| <b>Recode</b>                      | Kristian Koehnopp   |
| <b>Reflection</b>                  | Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter   |
| <b>Sessions</b>                    | Sascha Schumann, Andrei Zmievski  |
| <b>Shared Memory Operations</b>    | Slava Poliakov, Ilia Alshanetsky  |
| <b>SimpleXML</b>                   | Sterling Hughes, Marcus Boerger, Rob Richards   |
| <b>SNMP</b>                        | Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin   |
| <b>SOAP</b>                        | Brad Lafountain, Shane Caraveo, Dmitry Stogov   |
| <b>Sockets</b>                     | Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene   |
| <b>SPL</b>                         | Marcus Boerger, Etienne Kneuss  |
| <b>SQLite3</b>                     | Scott MacVicar, Ilia Alshanetsky, Brad Dewar  |
| <b>SQLite 3.x driver for PDO</b>   | Wez Furlong   |
| <b>System V Message based IPC</b>  | Wez Furlong   |
| <b>System V Semaphores</b>         | Tom May   |
| <b>System V Shared Memory</b>      | Christian Cartus  |
| <b>tidy</b>                        | John Coggeshall, Ilia Alshanetsky   |
| <b>tokenizer</b>                   | Andrei Zmievski, Johannes Schlueter   |
| <b>WDDX</b>                        | Andrei Zmievski   |
| <b>XMLReader</b>                   | Rob Richards  |
| <b>xmlrpc</b>                      | Dan Libby   |
| <b>XML</b>                         | Stig Bakken, Thies C. Arntzen, Sterling Hughes  |
| <b>XMLWriter</b>                   | Rob Richards, Pierre-Alain Joye   |
| <b>XSL</b>                         | Christian Stocker, Rob Richards   |
| <b>Zip</b>                         | Pierre-Alain Joye, Remi Collet  |
| <b>Zlib</b>                        | Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner  |

| <b>PHP Documentation</b>     |  |
|------------------------------|--|
| <b>Authors</b>               | Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Philip Olson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey |
| <b>Editor</b>                | Peter Cowburn  |
| <b>User Note Maintainers</b> | Daniel P. Brown, Thiago Henrique Pojda   |

|                           |   |
|---------------------------|---|
| <b>Other Contributors</b> | Previously active authors, editors and other contributors are listed in the manual. |
|---------------------------|---|

|  |  |
|--|--|
| <b>PHP Quality Assurance Team</b>  |  |
| Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs |  |

|   |  |
|---|--|
| <b>Websites and Infrastructure team</b> |  |
| <b>PHP Websites Team</b>                | Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison |
| <b>Event Maintainers</b>                | Damien Seguy, Daniel P. Brown  |
| <b>Network Infrastructure</b>           | Daniel P. Brown  |
| <b>Windows Infrastructure</b>           | Alex Schoenmaker   |

## PHP License

|   |
|---|
| <p>This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE</p> <p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.</p> <p>If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact <a href="mailto:license@php.net">license@php.net</a>.</p> |
|---|