

General Source Code Management Build Triggers Build Environment Build Post-build Actions

Thresholds to mark build Unstable Threshold to mark build Failed

Description

This Jenkins job is for MasterAppiumFramework_TDD. This will take the code from the Github repository and will start the test scripts execution on mobile devices. And, will send the Email to recipients for Test execution reports with ExtentReport (AutomationReport.html file).

[Plain text] Preview

Discard old builds ?

GitHub project ?

Project url

https://github.com/rajatt95/MasterAppiumFramework_TDD/

Advanced...

This build requires lockable resources

This project is parameterized ?

Choice Parameter

Name ?

TestNG_File

Choices ?

testng_pixel_4.xml
testng_pixel_3.xml
testng.xml

Description ?

Please select the TestNG XML file.

[Plain text] Preview

Choice Parameter

Name ?

Test_Category

Choices ?

REGRESSION
SMOKE
BVT
SANITY

Description ?

[Plain text] Preview

Add Parameter

Throttle builds ?

Disable this project ?

Execute concurrent builds if necessary ?

Source Code Management

- None
- Git



Repositories



Repository URL



Credentials





Advanced...

Add Repository

Branches to build



Branch Specifier (blank for 'any')



Add Branch

Repository browser



Additional Behaviours

Build Triggers

- Trigger builds remotely (e.g., from scripts)
- Build after other projects are built
- Build periodically
- GitHub Branches
- GitHub Pull Requests
- GitHub hook trigger for GITScm polling
- Poll SCM



Build Environment

- Delete workspace before build starts
- Use secret text(s) or file(s)
- Abort the build if it's stuck
- Add timestamps to the Console Output
- BrowserStack
- Inspect build log for published Gradle build scans
- With Ant



Build

Invoke top-level Maven targets



Maven Version

Goals



Advanced...

Post-build Actions

Publish TestNG Results X

TestNG XML report pattern ?

 Escape Test description string? ?
 Escape exception messages? ?
 Show failed builds in trend graph? ?
 Mark build as failure on failed configuration? ?

Thresholds to mark build Unstable

Skipped Tests ?

Failed Tests ?

Threshold to mark build Failed

Skipped Tests ?

Failed Tests ?

Choose your threshold mode:

- Number of tests
- Percentage of tests

Editable Email Notification X ?

Disable Extended Email Publisher ?

Allows the user to disable the publisher, while maintaining the settings

Project From

Project Recipient List ?

Comma-separated list of email address that should receive notifications for this project.

Project Reply-To List ?

\$DEFAULT_REPLYTO

Comma-separated list of email address that should be in the Reply-To header for this project.

Content Type ?

HTML (text/html) ▼

Default Subject ?

JENKINS (Github) - OC_Appium_TDD (Automation status) - \${Test_Category}

Default Content ?

```
<html>
<body>
<h4 style="text-shadow: 2px 2px 5px red" align="left"> Test Category: <b>${Test_Category}</b> </h4>
<table class="container" align="center" style="padding-top:20px">
<tr align="center">
```

```
 <td colspan="4"> <h2> Automation Test Reports </h2> </td> </tr> <tr> <td> <table style="background:#67c2ef;width:120px" > <tr> <td style="font-size: 36px" class="value" align="center">${TEST_COUNTS, var="total"}</td> </tr> <tr> <td align="center"> Total</td> </tr> </table> </td> <td> <table style="background:#79c447;width:120px" > <tr> <td style="font-size: 36px" class="value" align="center">${TEST_COUNTS, var="pass"}</td> </tr> <tr> <td align="center"> Passed</td> </tr> </table> </td> <td> <table style="background:#ff5454;width:120px" > <tr> <td style="font-size: 36px" class="value" align="center">${TEST_COUNTS, var="fail"}</td> </tr> <tr> <td align="center"> Failed</td> </tr> </table> </td> <td> <table style="background:#fabb3d;width:120px" > <tr> <td style="font-size: 36px" class="value" align="center">${TEST_COUNTS, var="skip"}</td> </tr> <tr> <td align="center"> Skipped</td> </tr> </table> </td> </tr> </table> </body> </html> |
```

Attachments ?

**/ExtentReports/AutomationReport.html

Can use wildcards like 'module/dist/**/*.*.zip'. See the [@includes of Ant fileset](#) for the exact format. The base directory is [the workspace](#).

Attach Build Log ?

Do Not Attach Build Log ▼

Content Token Reference ?

Pre-send Script ?

\$DEFAULT_PRESEND_SCRIPT

Post-send Script ?

\$DEFAULT_POSTSEND_SCRIPT

Additional groovy classpath ?

Add

Save to Workspace ?

Triggers ?

Always X ?

Send To

Recipient List X ?

Add ▼

Recipient List ?

testtmail95@gmail.com

Reply-To List ?

\$PROJECT_DEFAULT_REPLYTO

Content Type ?

Project Content Type

Subject ?

\$PROJECT_DEFAULT_SUBJECT

Content ?

\$PROJECT_DEFAULT_CONTENT

Attachments ?

Can use wildcards like 'module/dist/**/*'. See the [@includes of Ant fileset](#) for the exact format. The base directory is [the workspace](#).

Attach Build Log ?

Do Not Attach Build Log

Add Trigger

Add post-build action

Save **Apply**